

TABLE 3. 2003 SISKIYOU WINTER BARLEY TEST

Entry	Name	Yield (lbs/acre)	Test Wt (lbs/bu)	1000		Plant Ht (in)	Lodging		Scald	Stripe Rust
				Kernel Wt (g)	Shatter		(soft dough)	(harvest)		
204	STEPTOE	5370 (7)	53.7	48.5	2.0	46	4.5	3.3	1.3	3.3
567	SCIO	5170 (8)	52.8	41.0	1.0	40	1.0	1.5	1.0	1.3
568	HESK	6870 (4)	52.7	38.2	1.0	41	1.5	1.0	1.0	1.0
574	BOYER	6350 (6)	52.8	38.6	1.0	44	1.0	1.3	1.0	1.0
697	EIGHT TWELVE	8020 (1)	53.4	38.8	1.0	39	1.0	1.0	3.8	1.0
748	WESTBRED SPRINTER	6410 (5)	53.9	44.0	1.0	40	1.0	1.0	1.0	1.0
908	KOLD	6920 (3)	54.0	36.6	1.3	43	1.3	1.0	1.0	1.0
964	STRIDER	8000 (2)	53.8	36.9	1.0	44	1.0	1.0	1.0	1.0
	MEAN	6640	53.4	40.3	1.2	42	1.5	1.4	1.4	1.3
	CV	11.1	0.7	2.6	29.3	4.8	43.1	43.5	42.0	17.6
	LSD (.05)	1080	0.8	2.5	0.5	-	1.0	0.9	0.8	0.3

Rating scale for diseases (area of flag-1 leaf affected), lodging and shatter: 1 = 0-3%, 2 = 4-14%, 3 = 15-29%, 4 = 30-49%, 5 = 50-69%,
6 = 70-84%, 7 = 85-95%, 8 = 96-100%.

Numbers in parentheses indicate relative rank in column.