

TABLE 4. 2005 SISKIYOU WINTER BARLEY TEST

Entry	Name	Yield (lbs/acre)	Test Wt (lbs/bu)	Shatter	Plant Ht (in)	Lodging (harvest)
<u>CULTIVARS</u>						
204	STEPTOE	1110 (13)	51.5	6.8	44	6.0
574	BOYER	3070 (6)	52.6	2.0	49	6.0
697	EIGHT-TWELVE	4090 (2)	52.9	1.0	48	5.0
748	WESTBRED SPRINTER	3600 (5)	53.4	2.0	44	5.0
908	KOLD	2950 (7)	52.8	3.3	49	4.0
964	STRIDER	4060 (3)	49.7	1.5	46	6.5
<u>ADVANCED LINES</u>						
982	88Ab 536	2780 (8)	49.7	2.5	46	7.3
1129	STAB 113	3610 (4)	52.8	1.0	43	6.8
1161	J2-5-1	1730 (11)	52.7	4.8	43	4.5
1162	StabBC 42-3-2	1600 (12)	53.9	3.8	47	4.5
1163	J1-8-17	1040 (15)	52.7	4.5	44	5.5
1164	94Ab1274	1070 (14)	51.5	7.0	52	3.0
1165	94Ab1269	1750 (10)	51.3	6.3	46	3.3
1166	92Ab1308	4610 (1)	51.1	1.3	40	6.5
1167	95Ab2299	940 (16)	53.7	7.0	37	3.0
1168	88Ab536B	2770 (9)	49.8	2.0	45	7.5
	MEAN	2550	52.0	3.5	45	5.3
	CV	34.3	2.0	32.6	8.8	27.3
	LSD (.05)	1240	2.2	1.6	-	2.1

Rating scale for shatter and lodging: 1 = 0-3%, 2 = 4-14%, 3 = 15-29%, 4 = 30-49%,
5 = 50-69%, 6 = 70-84%, 7 = 85-95%, 8 = 96-100%.

Numbers in parentheses indicate relative rank in column.