

2018 Common wheat flour quality, Fresno.

Entry	Name	Flour						Mixograph				Regular Bread Test								
		Flour Yield %	Flour Protein (as is)	Flour Protein (14% MB)	Moist %	Ash (as is)	Ash (14% MB)	MillingScore	ABS %	Mixing Peak Time (mins)	Mixing Peak Height (M.U)	Score	Baking (abs %)	Mix Time (min sec)	Vol (cc)	Dough Handling (1-10)	Crumb Color (1-10)	Crumb Grain (1-10)	Crumb Texture (1-10)	Bread Symmetry (1-10)
112	YECORA ROJO	73.01	12.15	12.15	14.06	0.43	0.43	86.41	60.3	3.9	55.8	4M	61.0	18:00	1000	8	8	8	8	9
1478	SY CAL ROJO	74.71	10.60	10.58	13.81	0.53	0.53	82.92	58.6	3.0	46.6	3M	61.5	10:24	950	7	8	8	7	7
1495	UC LASSIK	73.81	10.69	10.79	14.76	0.46	0.46	85.35	62.6	2.2	58.1	2H	66.0	16:24	925	7	8	6	6	7
1521	SY REDWING	71.09	10.88	10.91	14.28	0.46	0.46	82.64	62.5	3.5	49.7	4M	65.5	17:36	1025	8	8	8	8	8
1522	SY BLANCA ROYALE	70.79	11.78	11.81	14.20	0.48	0.48	81.13	58.0	3.6	49.3	4M	60.5	18:24	900	7	8	7	8	7
1657	SY BLANCA GRANDE 515	73.30	12.21	12.23	14.17	0.41	0.41	87.64	64.0	3.4	51.6	3M	64.5	20:00	1025	7	8	7	8	8
1658	SY SUMMIT 515	73.33	11.84	11.80	13.70	0.46	0.46	84.89	62.4	2.5	50.1	2M	63.5	12:48	975	7	8	7	7	8
1667	BAG NEW DIRKWIN	71.12	9.05	9.07	14.19	0.42	0.42	84.75	54.0	2.2	42.1	2L	55.5	3:36	920	3	6	6	4	7
1680	UC PATWIN 515	70.50	10.62	10.63	14.16	0.51	0.51	79.50	62.5	2.8	50.0	3M	66.0	0:00	940	6	8	8	7	7
1688	LCS STAR	74.13	11.54	11.54	13.97	0.48	0.48	84.76	60.7	4.0	45.4	4M	62.5	6:00	965	7	8	8	8	8
1723	LCS ATOMO	67.78	9.27	9.33	14.55	0.45	0.45	79.64	64.4	3.4	43.2	3M	67.5	4:00	910	5	8	7	6	7
1728	WB JOAQUIN ORO	72.73	12.45	12.47	14.15	0.44	0.43	85.60	65.2	3.7	51.5	4M	65.5	20:24	1040	9	8	9	8	9
1730	WB 9229	72.16	12.29	12.29	13.99	0.46	0.46	83.75	65.2	3.8	49.9	4M	66.5	0:48	1040	9	8	9	9	9
1731	WB PATRON	73.21	11.92	11.87	13.64	0.43	0.43	86.51	61.6	1.4	49.3	1M	62.0	20:00	900	2	8	6	4	7
1743	UC PATWIN 515HP	71.80	12.24	12.24	14.03	0.49	0.49	81.57	63.7	2.8	54.1	3H	64.0	18:24	935	8	8	7	8	7
1745	UC YUROK	74.16	12.26	12.29	14.21	0.41	0.41	88.41	62.6	1.8	54.8	2H	63.5	18:48	990	7	8	6	7	9
1748	WB 9112	73.24	12.17	12.12	13.63	0.45	0.46	85.15	64.3	3.6	50.5	4M	65.0	0:00	990	8	8	8	8	9
1751	WB 9904	74.13	10.36	10.38	14.13	0.45	0.45	86.41	57.9	2.3	43.4	3M	60.5	21:36	885	4	8	6	6	7
1778	ASSL TAM 204	70.31	10.91	10.93	14.21	0.44	0.44	83.01	56.8	1.6	53.8	2M	58.5	22:24	935	5	8	6	5	7
1802	WB 7566	67.73	8.43	8.42	13.86	0.44	0.44	79.99	64.3	5.1	35.8	5L	67.0	20:00	840	4	6	6	5	5
1817	UC CENTRAL RED	70.19	10.31	10.34	14.25	0.47	0.47	81.03	62.9	3.6	41.3	4M	65.5	14:48	925	7	8	8	8	7
1830	LCS 12SB0197	73.68	11.12	11.08	13.69	0.50	0.50	83.39	60.6	3.2	49.9	3M	64.0	4:48	855	8	8	9	9	6
1831	LCS 12SB0224	71.69	11.66	11.69	14.25	0.50	0.50	81.23	60.4	4.0	50.9	4M	64.0	2:00	945	7	8	9	9	8
1835	SY SIENNA	74.31	11.38	11.37	13.92	0.48	0.48	85.06	59.0	4.0	44.7	4M	63.0	10:24	910	7	8	8	7	7
1842	WB 9350	70.80	8.33	8.33	13.97	0.47	0.47	81.82	61.8	0.9	32.6	7L	64.5	0:00	890	6	8	8	8	7
1847	WB 9433	72.18	9.21	9.19	13.80	0.49	0.49	82.12	61.7	8.5	36.7	8L	62.5	22:00	950	5	8	7	6	7
1874	APB 510477	70.60	11.79	11.82	14.24	0.45	0.45	82.55	62.7	2.5	49.9	2M	63.5	8:48	1035	7	8	7	8	9
1875	APB 511829	72.86	12.09	12.11	14.13	0.47	0.47	84.12	62.4	2.9	55.2	3M	65.0	18:24	970	7	8	8	8	8
1876	SY 11200064-1-9	73.44	10.76	10.81	14.37	0.46	0.45	85.23	57.9	3.1	46.7	3M	60.5	1:36	900	7	8	7	8	7
1877	SY 11200083-1-3	73.43	11.82	11.85	14.21	0.49	0.49	83.42	61.0	4.8	50.8	5M	63.5	0:24	1035	8	8	8	7	9
1878	SY 11200024-1-4	74.09	10.01	10.02	14.07	0.52	0.52	82.43	57.0	4.1	44.1	4M	62.5	16:00	890	4	8	6	4	7
1879	YECORA ROJO 515	70.15	12.36	12.32	13.78	0.48	0.48	80.41	62.7	6.5	44.4	6M	65.0	8:00	960	9	8	7	8	9
1880	UC 1880	68.72	9.77	9.76	13.94	0.50	0.50	77.99	64.5	2.4	45.6	3M	67.5	2:00	970	7	8	7	8	8
1881	UC 1881	69.09	8.66	8.66	13.98	0.50	0.50	78.30	62.9	4.8	36.8	5L	65.5	12:00	895	5	8	6	7	7
1882	UC 1882	73.73	12.32	12.30	13.89	0.49	0.49	83.73	60.3	2.8	52.7	3M	62.5	16:24	990	7	8	8	7	7
1883	UC 1883	72.45	12.60	12.64	14.28	0.43	0.43	85.41	60.2	2.5	57.9	2H	60.5	13:36	1040	8	8	8	8	8
1884	UC 1884	71.86	11.84	11.82	13.81	0.44	0.44	84.46	57.8	3.0	46.6	3M	61.5	19:12	1020	8	8	9	8	8
1885	UC 1885	72.70	11.76	11.77	14.10	0.43	0.43	85.75	64.8	3.2	51.9	3M	67.5	20:48	1020	8	8	7	7	8
1886	XB 9512	74.27	10.88	10.83	13.61	0.42	0.42	88.15	59.4	3.8	59.4	4H	62.0	16:00	1035	7	8	8	8	8
1887	XB 9510	74.30	10.50	10.47	13.81	0.42	0.42	88.29	59.6	2.4	57.8	2H	62.0	10:00	935	7	8	6	6	7
1888	XB 9511	71.11	11.86	11.86	14.03	0.39	0.39	86.50	62.4	3.9	55.5	4M	64.0	16:48	980	8	8	8	8	8