

TABLE 18. 1998 SISKIYOU INTERMOUNTAIN WINTER WHEAT TEST

ENTRY	YIELD LBS/ACRE	TEST WT (LBS/BU)	1000	PLANT HT (IN)	LODGING			LEAF RUST	STRIPE RUST
			KERNEL WT (GMS)		AT SOFT DOUGH	LODGING AT HARVEST			
397 STEPHENS (sww)	6050 (03)	55.8	37.6	44	1.0	1.0	1.0	1.0	
668 MALCOLM (sww)	5180 (11)	57.2	37.5	39	1.0	1.0	1.8	1.0	
756 TRES (club)	5380 (09)	59.8	32.1	46	1.3	1.0	2.8	1.0	
960 ROD (sww)	5470 (07)	54.2	30.7	42	1.0	1.3	2.3	1.3	
961 KMOR (sww)	4960 (13)	56.2	30.2	38	1.0	1.5	1.8	1.3	
963 MADSEN (sww)	5580 (05)	56.1	31.9	40	1.0	1.0	1.0	1.0	
965 MACVICAR (sww)	4780 (15)	55.1	31.3	41	1.0	1.0	1.0	1.0	
967 ROHDE (club)	6360 (02)	61.1	32.6	45	1.3	1.0	1.8	1.0	
968 PROMONTORY (hrw)	5170 (12)	62.2	36.4	44	1.0	1.0	1.8	1.0	
1013 GARLAND (hrw)	4330 (17)	54.9	28.2	31	1.0	1.5	1.5	1.3	
1058 LAMBERT (sww)	6380 (01)	59.1	42.2	45	1.0	1.0	1.0	1.0	
1059 RULO (club)	5370 (10)	56.0	28.8	46	1.0	1.0	1.0	1.0	
1089 SDM 00217 (sww)	5930 (04)	58.0	39.3	41	1.0	1.0	1.3	1.0	
1136 BOUNDARY (hrw)	5420 (08)	59.8	38.8	45	1.0	1.0	1.0	1.0	
1141 SDM 215-2	5580 (06)	61.0	38.6	37	1.0	1.0	2.0	1.0	
1142 SDM 215-6	4890 (14)	60.0	29.3	36	1.0	1.0	1.8	1.0	
1188 BASIN (sww)	4340 (16)	58.0	28.9	33	1.0	1.0	1.0	1.0	
MEAN	5360	57.9	33.8	40	1.0	1.1	1.5	1.0	
CV	9.9	1.5	5.6	3.6	16.1	33.3	51.6	20	
LSD (.05)	750	1.8	4.0	3			1.1		

Rating scale for diseases (area of flag-1 leaf affected at soft dough stage) and lodging: 1=0-3%, 2=4-14%, 3=15-29%, 4=30-49%, 5=50-69%, 6=70-84%, 7=85-95%, 8=96-100%.

Numbers in parentheses indicate relative rank in column.