

TABLE 21. 2004 TULELAKE WINTER WINTER WHEAT AND TRITICALE TEST (OCTOBER-SOWN)

Entry	Name	Yield (lbs/acre)	Test Wt (lbs/bu)	Plant Ht (in)	BYDV	Bird Damage (shatter)
<u>CULTIVARS</u>						
397	STEPHENS	8770 (12)	59.90	40	1.3	1.8
960	ROD	9450 (8)	59.40	37	1.3	1.8
967	ROHDE	10420 (4)	61.20	40	1.5	1.0
1058	LAMBERT	9120 (9)	60.30	40	1.3	3.3
1136	BOUNDARY	7370 (18)	61.70	39	1.5	2.3
1198	WEATHERFORD	6960 (19)	59.40	40	1.3	3.3
1285	CODA	8420 (15)	60.40	40	1.3	1.0
1387	GOLDEN SPIKE	9510 (7)	61.00	38	1.0	1.3
1389	BRUNDAGE 96	8770 (13)	59.70	35	1.0	1.0
1390	HUBBARD	8090 (16)	61.00	42	1.0	3.5
1413	WINCAL	8530 (14)	63.50	37	1.0	1.5
1415	SIMON	7950 (17)	58.90	38	1.0	2.3
<u>ADVANCED LINES</u>						
1416	WA 7916	8890 (11)	58.70	41	1.0	1.5
1433	ORCF-101	6440 (20)	58.40	36	1.0	2.5
<u>TRITICALE</u>						
3136	TRICAL 336	9900 (5)	58.10	43	1.0	1.0
3146	DÉCOR	10750 (1)	58.70	42	1.0	1.0
3147	RSI 1029E	8910 (10)	58.60	47	1.0	1.0
3152	ELAN	10670 (2)	57.40	46	1.0	1.0
3153	PRESTO/LK108	9590 (6)	54.10	41	1.0	1.0
3155	MAH 3800	10600 (3)	53.20	43	1.0	1.0
	MEAN	8950	59.2	40	1.1	1.7
	CV	13.1	1.2	3.6	28	59.9
	LSD (.05)	1660	1.5	2	-	1.4

Numbers in parentheses indicate relative rank in column.

Rating scale for BYDV (percentage of plants showing foliar symptoms) and bird damage:  
1=0-3%, 2=4-14%, 3=15-29%, 4=30-49%, 5=50-69%, 6=70-84%, 7=85-95%, 8=96-100%.